

Beaumont

Name:		Date:		
DOB: Height:	······································	Weight:		
MRI Patient Information Form- validate informa	ation b	by review of medical record if availa	ole	
List operations or surgeries:	M		"// 	
Have you had a previous reaction to CT/MRI contrast? If yes, explain:		o 🗆 Yes		
Are you claustrophobic?	□No	lo 🗆 Yes		
For Female Patients:				
Are you pregnant now or could you possibly be pregnant?	□ No □ No			
If YES, does your doctor know that you are pregnant? Are you breastfeeding?				
MSK/SHOULDER				
What is your current problem?				
How long have you had this problem?				
Have you had surgery on the area of interest?	□No	Yes When		
Do you have a history of cancer?	□No	Yes If yes, when and what kind	,	
Do you have or had any of the following? (Check all that a □ arthritis □ mass/tumor □ swelling □ weakned	Any previous imaging? □ X-rays □ CT □ Ultrasound □ MRI If yes where and when			
☐ dislocation ☐ tingling ☐ wound/sore ☐ fracture ☐ pain (dull, aching, sharp,constant, intermittent) ☐ injury ☐ unable to raise arm above head				

USING THE FIGURES BELOW, PLEASE SHADE IN THE AREAS AFFECTED BY PAIN, MASS, OR INJURY





7069 102618 OS8

Beaumont

MRI Safety Screening Form

Brain aneurysm clip	□No	☐Yes	Orthopedic Imp	olants	□No	☐Yes		
Breast tissue expander	□No	☐Yes	Pacemaker Wires/Leads		□No	☐ Yes		
Bullets, Shrapnel	□No	☐ Yes	Pain/Bladder S	timulator	□No	☐Yes		
Cardiac Defibrillator (ICD)	□No	☐ Yes	Piercings (mus	t remove)	□No	Yes		
Cardiac Pacemaker	□ No	☐ Yes	Programmable	Shunt	□No	Yes		
Color Contacts (must remove)	□No	☐Yes	Prosthesis		□No	☐Yes		
Eye or Ear Implant (cochlear)	□No	☐Yes	Sleep Therapy Generator		□No	☐Yes		
Hearing Aid (must remove)	□No	☐Yes	Shunt (brain or	spinal)	\square No	☐Yes		
Heart Valve Prosthesis	□No	☐Yes	Stents (carotid,	, heart, renal)	\square No	☐Yes		
Infusion Pump (ex: Pain/Insulin)	□No	☐Yes	Surgical Clips	or Staples	\square No	☐Yes		
Continuous Glucose Monitor	□No	☐Yes	Tattoo/Tattoo M	1ake-up	\square No	☐ Yes		
Do you have an IUD?	□No	☐ Yes	Vascular Acces	s Port	\square No	☐ Yes		
Medication Patch (must remove)	□No	☐ Yes	Vascular Filter,	Coil, Clamp	\square No	☐ Yes		
Metal Fragments (eye, skin)	□No	☐ Yes	Any other imple	ants	□No	☐Yes		
TO THE BEST OF MY KNOWLEDG				Da	ate:	(441)		
MRI STAFF								
Patient Approved for MRI Scan?] No [Yes						
MRI Technologist Signature				Date:	Tir	me:		
SITE		P	HONE #					
Order/Rx verification			CONTRAST					
☐ Part			\square Dotarem	☐ Eovist				
🗆 Right 🗀 Left 🗀 Bilateral			☐ Gadovist	\square Multihance				
☐ Checked 2 Identifiers		☐ Prohance						
			Amount given					
,	\Box FDA medication guide reviewed by patient							
Technologist Notes								