
Beaumont

Name:		- All Control of the	Date	
DOB: Height:	\	Velght:		
MRI Patient Information Form- validate informa	ation by	review of med	lical record	if available
List operations or surgerles:				
Have you had a previous reaction to CT/MRI contrast? If yes, explain:	□No	Yes		
Are you claustrophobic?	□No	☐ Yes		
For Female Patients:				
Are you pregnant now or could you possibly be pregnant? If YES, does your doctor know that you are pregnant? Are you breastfeeding?	□ No □ No □ No	☐ Yes ☐ Yes ☐ Yes		
NEURO/SPINE	~~~~			
What is your current problem? How long have you had this problem? Have you had spinal surgery? If yes, when and what area of spine				
Do you have a history of cancer? ☐ No ☐ Yes If ye	s, when	and what kind		
Do you have any of the following? (Check all that apply)		Weakness a	nd tingling in e	xtremities?
☐ dizziness ☐ headaches ☐ injury ☐ mass☐ nausea ☐ numbness ☐ pain ☐ stroke		☐ upper ☐ lower	□ right □ right	□ left □ left
Any previous imaging? ☐ X-rays ☐ CT ☐ MRI If ye	es where	and when		

USING THE FIGURES BELOW, PLEASE SHADE IN THE AREAS AFFECTED BY PAIN AND/OR NUMBNESS



Beaumont

MRI Safety Screening Form

Brain aneurysm clip	□No	☐ Yes	Orthopedic Implants	☐ No ☐ Yes			
Breast tissue expander	□No	☐ Yes	Pacemaker Wires/Leads	□ No □ Yes			
Bullets, Shrapnel	□No	☐ Yes	Pain/Bladder Stimulator	☐ No ☐ Yes			
Cardiac Defibrillator (ICD)	□No	□ Yes	Piercings (must remove)	□ No □ Yes			
Cardiac Pacemaker	□ No	☐ Yes	Programmable Shunt	□ No □ Yes			
Color Contacts (must remove)	□No	☐ Yes	Prosthesis	☐ No ☐ Yes			
Eye or Ear Implant (cochlear)	□No	☐ Yes	Sleep Therapy Generator	☐ No ☐ Yes			
Hearing Aid (must remove)	□No	☐ Yes	Shunt (brain or spinal)	☐ No ☐ Yes			
Heart Valve Prosthesis	□No	☐ Yes	Stents (carotid, heart, renal)	☐ No ☐ Yes			
Infusion Pump (ex: Pain/Insulin)	□No	☐ Yes	Surgical Clips or Staples	□ No □ Yes			
Continuous Glucose Monitor	□ No	☐ Yes	Tattoo/Tattoo Make-up	☐ No ☐ Yes			
Do you have an IUD?	□No	☐ Yes	Vascular Access Port	☐ No ☐ Yes			
Medication Patch (must remove)	□No	☐ Yes	Vascular Filter, Coil, Clamp	☐ No ☐ Yes			
Metal Fragments (eye, skin)	□No	☐ Yes	Any other implants	☐ No ☐ Yes			
Patient Signature			TION I HAVE PROVIDED IS CORREC	Date:			
			RI STAFF				
Patient Approved for MRI Scan?	□ No 〔	☐ Yes					
MRI Technologist Signature			Date:	Time:			
SITE			PHONE #				
Order/Rx verification			CONTRAST				
☐ Part			☐ Dotarem ☐ Eovist				
☐ Right ☐ Left ☐ Bilateral			☐ Gadovist ☐ Multihance				
☐ Checked 2 Identifiers			☐ Prohance				
			Amount given				
			☐ FDA medication guide reviewed by patient				
Fechnologist Notes							
-							